

## Avide Basic Desk Lamp C Base S Silver

<b>Product code:</b>	ABDLC-S
<b>Brand link:</b>	<a href="https://avidelighting.com/qr/ABDLC-S">avidelighting.com/qr/ABDLC-S</a>
<b>ID:</b>	AB-190518
<b>Company name:</b>	Bramcke Hungary Kft.
<b>Company address:</b>	Kisatár utca 17., 4031 Debrecen

QR code:



Date of issue: 2024-05-04

Page: 1/3

### SPECIFICATIONS

EAN code:	5999097908427
Warranty:	2year(s)
Color:	Silver
Material:	Metal+ABS
Working temperature:	-20 - +40 °C
Packaging:	1/b 12/c 192/p
Certifications:	CE
Functions:	

### TECHNICAL DETAILS

Wattage:	40W
Voltage:	220-240V
Built-in battery:	No
Beam angle:	160°
Dimmability:	No
Lumen output:	
Color temperature:	
Lifetime:	30 000h
Energy class:	
Type of LED:	
Number of LEDs:	
CRI:	>80
IP standard:	IP20

### BOX PICTURE



## Avide Basic Desk Lamp C Base S Silver

**Product code:** ABDLC-S  
**Brand link:** [avidelighting.com/qr/ABDLC-S](https://avidelighting.com/qr/ABDLC-S)  
**ID:** AB-190518  
**Company name:** Bramcke Hungary Kft.  
**Company address:** Kishatár utca 17., 4031 Debrecen

QR code:



Date of issue: 2024-05-04

Page: 2/3

### PRODUCT SIZE

Width: 165mm  
 Height: 370mm  
 Depth: 165mm

### CARDBOARD BOX

EAN: 5999097908427  
 Packaging: 1/b 12/c 192/p  
 Dimensions: 175mm x 230mm x 175mm  
 Net weight: 714g  
 Gross weight: 855g

### CARTON

EAN: 5999097908434  
 Packaging: 1/b 12/c 192/p  
 Dimensions: 545mm x 365mm x 480mm  
 Net weight: 8.568kg  
 Gross weight: 10.26kg


### PALLET EXAMPLE

Height:  
 Width: 120cm (std Euro pallet)  
 Depth: 80cm (std Euro pallet)  
 Cartons per pallet: 16carton/pallet  
 Cartons per row: 4pcs  
 Net weight: 137.088kg  
 Gross weight: 164.16kg

### PRODUCT PICTURE



### PRODUCT OUTLINE



Avide Basic Desk Lamp C Base S Silver

**Product code:** ABDLC-S  
**Brand link:** [avidelighting.com/qr/ABDLC-S](https://avidelighting.com/qr/ABDLC-S)  
**ID:** AB-190518  
**Company name:** Bramcke Hungary Kft.  
**Company address:** Kishatár utca 17., 4031 Debrecen



**Date of issue:** 2024-05-04  
**Page:** 3/3

PRODUCT DESCRIPTION