

## Avide Tri-proof fixture for 2 LED Tube 1.5m

**Product code:** ATPF-2X58W  
**Brand link:** [avidelighting.com/qr/ATPF-2X58W](https://avidelighting.com/qr/ATPF-2X58W)  
**ID:** AB-190518  
**Company name:** Bramcke Hungary Kft.  
**Company address:** Kishatár utca 17., 4031 Debrecen

QR code:



Date of issue: 2024-05-05

Page: 1/3

### SPECIFICATIONS

**EAN code:** 5999097916460  
**Warranty:** 5year(s)  
**Working temperature:** -20C° - + 50C°  
**Packaging:** 1/b 8/c 96/p  
**Certifications:** CE

### TECHNICAL DETAILS

**Wattage:**  
**Voltage:** AC85-265V  
**Beam angle:**  
**Dimmability:** No  
**Lumen output:**  
**Color temperature:**  
**Lifetime:**  
**Energy class:**  
**Type of LED:**  
**IP standard:** IP65

### PRODUCT PICTURE



## Avide Tri-proof fixture for 2 LED Tube 1.5m

<b>Product code:</b>	ATPF-2X58W
<b>Brand link:</b>	<a href="https://avidelighting.com/qr/ATPF-2X58W">avidelighting.com/qr/ATPF-2X58W</a>
<b>ID:</b>	AB-190518
<b>Company name:</b>	Bramcke Hungary Kft.
<b>Company address:</b>	Kishatár utca 17., 4031 Debrecen

QR code:



Date of issue: 2024-05-05

Page: 2/3

### PRODUCT SIZE

Diameter:	
Length:	1 560mm

### CARDBOARD BOX

EAN:	5999097916460
Packaging:	1/b 8/c 96/p
Dimensions:	115mm x 60mm x 1 575mm
Net weight:	1 760g
Gross weight:	2 082g

### CARTON

EAN:	5999097916477
Packaging:	1/b 8/c 96/p
Dimensions:	265mm x 255mm x 1 580mm
Net weight:	14.08kg
Gross weight:	16.656kg


### PALLET EXAMPLE

Height:	
Width:	120cm (std Euro pallet)
Mepph:	80cm (std Euro pallet)
Cartons per pallet:	12carton/pallet
Cartons per row:	
Net weight:	168.96kg
Gross weight:	199.872kg

### PRODUCT PICTURE



### PRODUCT OUTLINE



## Avide Tri-proof fixture for 2 LED Tube 1.5m

**Product code:** ATPF-2X58W  
**Brand link:** [avidelighting.com/qr/ATPF-2X58W](https://avidelighting.com/qr/ATPF-2X58W)  
**ID:** AB-190518  
**Company name:** Bramcke Hungary Kft.  
**Company address:** Kishatár utca 17., 4031 Debrecen

QR code:



**Date of issue:** 2024-05-05

**Page:** 3/3

## PRODUCT DESCRIPTION