Datasheet and description



Avide LED Filament Mini Globe 4W E14 NW 4000K

Product code: ABLFMG14NW-4W

Brand link: avidelighting.com/qr/ABLFMG14NW-4W

ID: AB-190518

Company name: Bramcke Hungary Kft.

Company address: Kishatár utca 17., 4031 Debrecen



Date of issue: 2024-05-14

Page: 1/3

SPECIFICATIONS

EAN code: 5999562285787

Warranty: 3year(s) Socket: E14

Working temperature: -20 - +40 °C

Packaging: 1/b 100/c 6300/p

Certifications: CE

TECHNICAL DETAILS

Wattage: 4W

Voltage: 220-240V
Beam angle: 360°
Dimmability: No
Lumen output: 480lm
Color temperature: 4 000K
Lifetime: 15 000h


Energy class: E

Type of LED: Filament

CRI: 80

IP standard: IP20

BOX PICTURE



Datasheet and description



Avide LED Filament Mini Globe 4W E14 NW 4000K

Product code: ABLFMG14NW-4W

Brand link: avidelighting.com/qr/ABLFMG14NW-4W

ID: AB-190518

Company name: Bramcke Hungary Kft.

Company address: Kishatár utca 17., 4031 Debrecen



Date of issue: 2024-05-14

Page: 2/3

PRODUCT SIZE

Diameter: 45mm Height: 78mm

CARDBOARD BOX

EAN: 5999562285787 Packaging: 1/b 100/c 6300/p

Dimensions: 48mm x 114mm x 48mm

Net weight: 20g Gross weight: 28g

CARTON

EAN: 5999562285794 Packaging: 1/b 100/c 6300/p

Dimensions: 510mm x 200mm x 260mm

Net weight: 2kg
Gross weight: 2.8kg

PALLET EXAMPLE

Height: 182cm

Width: 120cm (std Euro pallet)

Mepth: 80cm (std Euro pallet)


Cartons per pallet: 63carton/pallet

Cartons per row: 9pcs
Net weight: 126kg
Gross weight: 176.4kg

PRODUCT PICTURE



PRODUCT OUTLINE



Datasheet and description



Avide LED Filament Mini Globe 4W E14 NW 4000K

Product code: ABLFMG14NW-4W

Brand link: avidelighting.com/qr/ABLFMG14NW-4W

ID: AB-190518

Company name: Bramcke Hungary Kft.

Company address: Kishatár utca 17., 4031 Debrecen



Date of issue: 2024-05-14

Page: 3/3

PRODUCT DESCRIPTION

The LED filament products are professionally-designed light sources that can be used to effectively replace traditional light bulbs in most lighting environments.

This vertical line arrangement not only provides high brightness but can also produce a 360 ° projection angle. The advantages of LED lights are clearly visible here, their heat dissipation is low, thus they do not produce unnecessary heat energy, they emit light with maximum efficiency and thus can also be used at places where heating might represent a hazard.

Placement within the lamp shade or higher is the adequate choice for a transparent product. In the case of a transparent product, avoid direct lighting and at such places use types with an opaline shade instead, which provides a pleasant homogeneous light and does not dazzle the eyes.

As opposed to traditional LED technology, in the case of filament products the chips are placed on transparent columns separated from each other and are then covered with phosphorus. This is called COG or Chip on Glass technology. This procedure enables the replacement of traditional light bulbs both aesthetically and in terms of size. They do not flash, sparing they eyes this way. Switching them on and off does not shorten their service life. As they do not contain a filament per se, vibration or shock does not necessarily result in the failure of the light source.

LED lights do not emit light by heating up a metal filament but by means of electrons, thus they have a minimal heat loss. You can save up to 80% energy compared to traditional light bulbs when using LED technology. LED lights produce minimal heat, thus they can also be used at places where heating might represent a hazard.